hajom










BOTH THE LIGHTEST AND HEAVIEST.

Our equation may seem complex but it is really very simple. The smoothness and ease of our sliding doors come from our unique and refined lift and slide system. The solid, robust feeling comes from the uncompromising choice of materials, unique craftsmanship and 100 years of experience. This combination succeeds in creating one of the most comprehensive solutions to a seamless relationship between inside and out.

Welcome to Hajom Classic Series!







HAJOM Classic SERIES



HAJOM CLASSIC SERIES - SLIDING DOORS IN A MORE REFINED FORM

The meaning of the word "quality" has become rather diluted. For this reason, we at Hajom have done more than simply apply the term to our products. We have made it our work philosophy.

You can both see and feel our definition of "quality" in sliding doors we installed more than forty years ago – which still function flawlessly. Sliding doors constitute

the core of the Hajom Classic Series. They provide the best insulation properties on the market, as well as the best air-tightness, flexibility and durability. They can even be integrated as part of the bearing construction.

Our unique lift and slide function provides a feeling that you only encounter with Hajom. Feel and compare and you will see what we mean.



Our sliding doors can be combined with matching fixed windows.



Supplement with a sliding screen door.



Aluminium cladding available as an optional extra.

PRODUCT FACTS

- THE CLASSIC SERIES OF SLIDING DOORS

In closed, lowered position, the door closes tightly thanks to special sealing profiles. To open the door, turn the interior handle 180° until it points down. This lifts the door and simultaneously moves it laterally slightly to release it from the sealing profiles. This function also ensures that the heavy door slides exceptionally easily. The sliding parts run on the interior side. The screen doors run on the exterior side.

The sections can be built as a bearing construction, with over-dimensioned wooden posts – or with recesses for steel profiles. Weight can only be placed on the bearing posts – not on other parts of the lintel.

Triple-glazed insulation with toughened glass inside and out (for improved safety) is standard. As optional extras, the doors can also be supplied with other kinds of safety glass, sun-filter glass, self-cleaning glass, sound-proofed glass, privacy glass, electrically heated glass, etc. U-value 1.2 for the entire sliding door construction is standard.

The doors are fully equipped with fittings in accordance with the Hajom standard, and are prepared for the Assa oval cylinder 707. A variety of locking options are available, including exterior handle, exterior cylinder or magnetic contact for an alarm system.



TYPE A 1 sliding section, 1 fixed section.



TYPE C 2 sliding sections, 2 fixed sections.



TYPE F
1 fixed section.



TYPE HYD YD12 - Entrance door function. D7 - Terrace door function.



TYPE HYD2 YD12 - Entrance door function. D7 - Terrace door function.



TYPE M 2 sliding sections, 1 fixed section.

DIMENSION EXAMPLE, STANDARD

Frame depth:	
Wood	205 mm
Wood/aluminium	215 mm
Screen door frame	+ 44 mm

The stated height measurements include the height of the bottom section of the frame, 55 mm. We suggest recessing the sliding door 40–55 mm into the floor on installation, so that the top edge of the bottom section of the frame base lies at a level of 0–15 mm above the finished floor. This will facilitate passage.

sтоск

Туре:	Width:	Height:
A*	2380	2120
A*	2980	2120
A*	3580	2120

* The stock sections are available in white-painted wood and white-varnished aluminium.

STANDARD SIZES MADE TO ORDER

Type:	wiath:	Height:
Α	1780~4380	2020~2420
C	3980~7980	2020~2420
M	3580~6180	2020~2420
F	580~2180	2020~2420
HYD	780~980	2020~2420
HYD2	1380~1780	2020~2420

EXAMPLE, SPECIAL DESIGN - CLASSIC SERIES

EXAMPLES OF CUSTOM DESIGNS

Explanation of supplementary letters in type designations


- -B Sections with load-bearing wood post.
- -BS Sections for built-in bearing steel profile.
- -H Full-height glass in fixed parts no raised sill.
- -N Screen door.



Example MA 0.1 True vertical posts.



Example MB 1.0 True horizontal posts.



Example M 3.0 True horizontal posts.



Example FB-T Raised and insulated panel in fixed section.



Example A-H Full-height glass in fixed part – no raised sill.

COLOURS AND MATERIALS - CLASSIC SERIES

The design and appearance of the products in the Hajom Classic Series spans a broad spectrum: impregnated pine with a top-coated or stained finish, a glazing option or with aluminium cladding in standard or grain designs.


The doors feature sills of iroko hardwood.

All our windows and sliding doors that contain glass below the 1 m level are fitted with hardened safety glass on the inside and the outside. For additional information about optional extras and special solutions, see the "Technical Specifications" section of our website.

STANDARD COLOURS - ALUMINIUM CLADDING



STANDARD TOP-COAT FINISH ON PINE



WHITE NCS S-0502-Y

ALUMINIUM CLADDING - ANODISED EXTERIOR



ANODISED ALUMINIUM

STANDARD ALUMINIUM INTERPON D (GRAIN STRUCTURE)



STANDARD STAINS ON PINE









BROWN STAIN

TEAK STAIN

BROWN-BLACK STAIN

OAK STAIN

WOOD TYPE



PINE


OTHER WOODS AVAILABLE ON REQUEST.

SPECIAL COLOURS*



WOOD COMPONENTS ACCORDING TO THE NCS S INDEX ALUMINIUM COMPONENTS ACCORDING TO THE RAL AND THE NCS S INDEX







Example of aluminium exterior



Example of oiled exterior

* HAJOM SLIDING DOORS DOES NOT GUARANTEE THE COLOUR-FASTNESS OF SPECIAL COLOURS.

WE RESERVE THE RIGHT TO MAKE DESIGN CHANGES AND IMPROVEMENTS WITHOUT PRIOR NOTICE.

THE COLOURS SHOWN IN THIS BROCHURE ARE AS CLOSE TO REALITY AS THE PRINTING PROCESS ALLOWS.




PROJECT: GERMAIN COMPLEX CALGARY

ARCHITECT: LEMAYMICHAUD ARCHITECTURE DESIGN



























































© HAJOM SKJUTDÖRRAR AB, 2011

FOR PRINTING-TECHNICAL REASONS, THE REPRESENTATIONS OF COLOURS AND MATERIALS IN THIS CATALOGUE CANNOT BE USED AS COLOUR OR MATERIAL SAMPLES. WE RESERVE THE RIGHT TO ALTER DESIGNS WITHOUT NOTICE.

PHOTOS: ALL IMAGES BY THOMAS HARRYSSON EXCEPT

PAGE 1 AND 16-17, ÅKE E:SON LINDMAN AND PAGE

2-3 AND 16-17, PIERRE BELANGER

PRODUCTION: SEHÉLER NETWORK AB
PRINT: ROLF TRYCKERI AB



hajom

CONSUMER CONTACT: ELITFÖNSTER AB

Box 153, SE-574 22 Vetlanda, Sweden Tel: +46 10 451 40 00 Fax: +46 10 451 40 01 E-mail: info@elitfonster.se

SE-360 73 Lenhovda, Sweden Tel: +46 10 451 40 00 Fax: +46 10 451 40 02

EXPORT SALES: Helge Lindberg Tel +46 10 451 41 67

UNITED KINGDOM: ALLAN BROTHERS LIMITED

Allan House Ord Road, Berwick-Upon-Tweed Northumberland TD15 2XU Tel: +44 (0)1289 334600

Fax: +44 (0)1289 334601